

compact dimensions and the high manoeuvrability is agile and quick in city traffic and in more demanding working situations.

Safe and smart, Cleanair 5.0 is the machine that, thanks to the combined action of the front sweeping unit and the powerful suction system, works with precision and agility combining its collection system with a top level loading capacity.

THE SILENT AND COMPACT STREET SWEEPER

FREE CALL 1800 650 989 W W W . S W E E P E R . C O M . A U



#### Characteristics and advantages of the ASC Clean Air:

- > Double drive with dual control
- > Third fron brush (as alternative to the fron hydraulic bar)
- Suction hose on rotating arm
- > LCD monitor with colour camera for rear and nozzle view
- > Centralized greasing system
- High pressure cleaning unit also with rotating arm or hose reel (15 Lt/min -150 bar pump)
- > Rear bar with 15 Lt/min 150 bar pump

#### STANDARD EQUIPMENT

- > Euro 5 or Euro 6 engines available
- > 5 m3 waste hopper made of AISI 304 stailess steel
- > 700-730 Lt water tank for dust control
- > Excess water drain service
- > Heated mirrors
- > Air conditioning system
- Heating system
- > 1.700 mm right and side high dumping
- > Easy mainteinance

ASC CLEAN AIR MAJOR SPECIFICATIONS

SWEEPING WIDTH 2.400 - 3.200mm

DUMPING HEIGHT 1.700 mm

STEERING Electro-Hydraulic Power

WASTE HOPPER CAPACITY 5 m3

WATER TANK CAPACITY
750 lt

FUEL TANK CAPACITY
135 lt





### **ASC Clean Air Specs:**

#### MODEL - Clean Air

#### **TECHNICAL SPECIFICATIONS**

ENGINE	veco 4-cylinder turbo - power 93 kW	DIMENSIONS	Lenght mm 4.600

(126,5 hp) STEP 3A

lveco 4-cylinder turbo diesel intercooler - power 118 kW (160hp) Euro

5 EEV

lveco 4-cylinder - power 118 kW

(160 hp) Euro 6

TRASMISSIONE Linde hydrostatic electro-hydraulic

automotive drive with electronic

control

**BRAKES** Front disc brakes, rear drum brakes

- hydraulic servo-assisted system

Electro-hydraulic power steering **STEERING** 

- turning circle mm 4.890

Mass flow 14.000 m3/hour - stainless SUCTION

steel AISI 304 suction mouth with automatic device for collecting large

waste

SYSTEM

Lenght with third brush mm 5.400

Width mm 1.830 Height mm 2.600

Wheelbase mm 2.200

Unloaded weight kg 5.200 WEIGHT

Load capacity kg 5.800 Total weight kg 11.000

Fuel tank capacity 135 It **TANKS** Water tank capacity 750 lt

Made of AISI 304 stainless steel WASTE

Capacity 5 m3 HOPPER

Right hand side dumping Dumping height 1.700 mm

PERFORMANCE Sweeping width mm 2.400 - 3.200

Sweeping speed km/h 0 - 20

Running speed km/h 0 - 40

ASC is Australia's premier floor Sweeper & Scrubber company. With 100% Australian ownership, its mission is to deliver Australian industry the best value floor maintenance machinery, spare parts and field service that money can buy. We are a total solutions company.

In every respect you can be guaranteed that an ASC approved product that you invest in, will be more reliable and perform better than any equivalent looking product offered by a competitive supplier.

# ASC YOUR TOTAL SALES SUPPORT AND SERVICE NETWORK - AUSTRALIA WIDE







## SALES AND SUPPORT AUSTRALIA WIDE

SYDNEY | MELBOURNE | BRISBANE | ADELAIDE | PERTH | NORTHERN TERRITORY | TASMANIA | NEW ZEALAND

#### **AUSTRALIAN SWEEPER COMPANY**

TELEPHONE: +(61) 02 9854 0900 | FACSIMILE: +(61) 02 8572 8234 HEAD OFFICE: 6 MONEY CLOSE, ROUSE HILL, NSW 2155 POSTAL ADDRESS: PO BOX 3726 ROUSE HILL NSW 2155

FREE CALL 1800 650 989

WWW.SWEEPER.COM.AU